



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/579,623	05/26/2000	Kemi Y. Ibitayo	Sprint IDF 1415	7837

7590 01/16/2004
STEVEN J. FUNK
SPRINT LAW DEPARTMENT
6391 Sprint PKWY
OVERLAND PARK, KS 66251

EXAMINER

MAHMOUDI, HASSAN

ART UNIT	PAPER NUMBER
----------	--------------

2175

DATE MAILED: 01/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/579,623

Applicant(s)

IBITAYO ET AL.

Examiner

Tony Mahmoudi

Art Unit

2175

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 December 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s) _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DOV POPOVICI

SUPSPATENT EXAMINER
INTER 2100

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's Request for Continued Examination (RCE) submission filed on 17-December-2003 has been entered.

Remarks

2. In response to communications filed on 17-December-2003, claims 1, 9, and 14 have been amended per applicant's request. Claims 1-14 are presently pending in the application.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2175

4. Claims 1-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hartley et al (U.S. patent No. 6,532,465) in view of Dong et al (U.S. Patent No. 6,499,023.)

As to claim 1, Hartley et al teaches a framework (see Abstract, and see column 7, lines 12-13) for isolating a business component from specific implementations of a datastore (see column 5, lines 12-18, where “isolating a business component from specific implementation of a datastore” is read on “corresponding to one or more business objects that are highly specific to a client’s implementation), comprising:

(a) a database in communication with a business component (see figure 4, where “business component” is illustrated as “business objects 35, and “database” is illustrated as “database tables 39);

(b) a domain object factory in communication with the database (see figure 5, where “database” is illustrated as “external data source”);

(c) a domain object in communication with the domain object factory (see figure 4, where “domain object” is illustrated as “domain objects 37, and see “domain object factory 60 in figure 5); and

(d) a datastore in communication with the domain object (see “domain object factory 60” and “data store 65” in figure 5.)

Hartley et al does not teach a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component.

Art Unit: 2175

Dong et al teaches an object-focused workflow system (see Abstract) in which he teaches a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component (see column 5, lines 23-48.)

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al to include a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al with the teaching of Dong et al because including a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component, would “provide abstract interfaces to the databases and reporting features of the other external components, exposing relevant data and update capabilities” , as taught by Dong et al (see column 5, lines 38-41.)

As to claim 2, Hartley et al as modified teaches wherein the database wrapper further comprises a database wrapper interface in communication with the business component (see Dong et al, column 5, lines 38-41) and a database wrapper implementation implementing the domain object factory (see Dong et al, column 4, lines 30-41, and see Hartley et al, figure s 4 and 5.)

Art Unit: 2175

As to claim 3, Hartley et al as modified teaches wherein the domain object factory further comprises a domain object interface in communication with the database wrapper (see Hartley et al, figure 5, and see column 12, lines 6-9) and a domain object factory implementation implementing the domain object (see Hartley et al, figure 5, and see column 11, lines 28-39.)

As to claim 4, Hartley et al as modified teaches wherein the domain object further comprises a domain object interface in communication with the domain object factory (see Hartley et al, figures 4 and 5) and a domain object implementation retrieving data from a datastore (see Hartley et al, column 10, lines 58-67.)

As to claim 5, Hartley et al as modified teaches wherein the domain object interface further comprises a transient data converter for converting the domain object from a persistent state to a transient state (see Hartley et al, figure 13, and see column 16, lines 6-51, where “objects from a persistent state” is read on “data formats from outside sources”, and “transient state” is read on “standard formats”, and see column 21, lines 63-65.)

As to claims 6 and 11, Hartley et al as modified teaches wherein the datastore is a relational database (see Hartley et al, column 12, lines 6-12, and see column 21, lines 18-19, where “datastore” is read on “data storage device”).

As to claims 7 and 12, Hartley et al as modified teaches wherein the datastore is an object database (see Hartley et al, column 12, lines 12-14, where “object database” is read on “the master database including the stored domain objects”.)

As to claims 8 and 13, Hartley et al as modified teaches wherein the datastore is accessed remotely (see Hartley et al, column 8, lines 33-37, and see column 21, lines 30-32.)

As to claim 9, Hartley et al teaches a method (see Abstract) for isolating a business component from specific implementations of a datastore (see column 5, lines 12-18, where “isolating a business component from specific implementation of a datastore” is read on “corresponding to one or more business objects that are highly specific to a client’s implementation), comprising:

(a) interfacing a database to a business component (see figure 4, where “business component” is illustrated as “business objects 35, and “database” is illustrated as “database tables 39);

(c) interfacing a domain object factory to the database (see figure 5, where “database” is illustrated as “external data source”);

(d) implementing the domain object factory (see figure 5, and see column 11, lines 28-39);

(e) interfacing a domain object to the domain object factory (see figures 4 and 5); and

(f) implementing the domain object to retrieve data from a datastore (see column 10, lines 58-67.)

Art Unit: 2175

Hartley et al does not teach a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component.

Dong et al teaches an object-focused workflow system (see Abstract) in which he teaches a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component (see column 5, lines 23-48.)

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al to include a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al with the teaching of Dong et al because including a database wrapper; wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component, would “provide abstract interfaces to the databases and reporting features of the other external components, exposing relevant data and update capabilities”, as taught by Dong et al (see column 5, lines 38-41.)

As to claim 10, Hartley et al as modified teaches the method further comprising converting data received from the datastore from a persistent state to a transient state (see Hartley et al, figure 13, and see column 16, lines 6-51, where “objects from a persistent state”

Art Unit: 2175

is read on “data formats from outside sources”, and “transient state” is read on “standard formats”, and see column 21, lines 63-65.)

5. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hartley et al (U.S. patent No. 6,532,465) in view of McComb et al (U.S. Patent No. 6,006,224), and further in view of Dong et al (U.S. Patent No. 6,499,023.)

As to claim 14, Hartley et al teaches a method for (see Abstract) isolating a business component from specific implementations of a datastore (see column 5, lines 12-18, where “isolating a business component from specific implementation of a datastore” is read on “corresponding to one or more business objects that are highly specific to a client’s implementation), comprising:

- (a) supplying a database (see figure 2);
- (c) using the database to obtain a domain object factory (see figure 5);
- (d) using the domain object factory to create a domain object (see figure 5, and see column 11, lines 28-39);
- (e) converting the domain object from a persistent state to a transient state (see figure 13, and see column 16, lines 6-51, where “objects from a persistent state” is read on “data formats from outside sources”, and “transient state” is read on “standard formats”, and see column 21, lines 63-65);

Hartley et al does not teach:

supplying a database wrapper;

using the database wrapper to begin a database session;

Art Unit: 2175

ending the database session; and

returning the domain object to the business component.

McComb et al teaches a crucible query system (see Abstract) in which he teaches:

supplying a database wrapper (see figure 2);

using the database wrapper (see column 7, lines 51-59) to begin a database session (see column 8, lines 41-42, where “begin a database session” is read on “open a connection to the specified database”);

ending the database session (see column 8, line 43, where “end the database session” is read on “close a database connection”); and

returning the domain object to the business component (see column 9, lines 61-64.)

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al to include supplying a database wrapper; using the database wrapper to begin a database session; ending the database session; and returning the domain object to the business component.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al with the teachings of McComb et al, because supplying a database wrapper would provide the system with “re-useable code that encapsulates procedural code in an application (such as a communication protocol or a database)”, where, “once encapsulated the item becomes an object”, as taught by McComb et al (see column 6, lines 14-17), and because using the database wrapper to begin a database session; ending the database session; and returning the domain object to the business component, would enable the system to communicate with various databases using standard

Art Unit: 2175

database query languages, and therefore, would increase the flexibility and inter-operability of the system.

Hartley et al as modified still does not teach wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component.

Dong et al teaches an object-focused workflow system (see Abstract) in which he teaches wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component (see column 5, lines 23-48.)

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al as modified, to include wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al as modified, by the teaching of Dong et al because wherein the database wrapper provides an additional abstraction layer between the domain object factory and the business component, would “provide abstract interfaces to the databases and reporting features of the other external components, exposing relevant data and update capabilities” , as taught by Dong et al (see column 5, lines 38-41.)

6. Claims 5 and 10 are *further* rejected under 35 U.S.C. 103(a) as being unpatentable over Hartley et al (U.S. patent No. 6,532,465) in view of Dong et al (U.S. Patent No. 6,499,023), as applied to claims 1-13 above, and further in view of Brownell et al (U.S. Patent No. 6,009,266.)

Art Unit: 2175

As to claims 5 and 10, in addition to the teaching of Hartley et al, as modified, on converting domain object/data from a persistent state to a transient state (see Hartley et al, figure 13, and see column 16, lines 6-51, where “objects from a persistent state” is read on “data formats from outside sources”, and “transient state” is read on “standard formats”, and see column 21, lines 63-65), Brownell et al teaches methods, apparatus and data structures for managing transient and persistent distributed objects (see Abstract), in which he teaches a transient data converter for converting the domain object from a persistent state to a transient state (see figure 4a, and see column 11, lines 1-17.)

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al as modified to include a transient data converter for converting the domain object from a persistent state to a transient state.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hartley et al as modified, by the teaching of Brownell et al, because a transient data converter for converting the domain object from a persistent state to a transient state, would enable the system to move object data from permanent storage devices into a temporary storage device, such as cache memory, so that the objects can be in transit and can be shared/distributed to other computers which are a part of the distributed object operating environment.

Art Unit: 2175

Response to Arguments

7. Applicant's arguments filed on 17-December-2003 with respect to the rejected claims in view of the cited references have been fully considered but they are moot in view of the new grounds of rejection.


Conclusion

8. Any inquiries concerning this communication or earlier communications from the examiner should be directed to Tony Mahmoudi whose telephone number is (703) 305-4887. The examiner can normally be reached on Mondays-Fridays from 08:00 am to 04:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dov Popovici, can be reached at (703) 305-3830.

tm

January 5, 2004


DOV POPOVICI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100